

# SRS Wiolin Hypoid-Getriebeöl 90



Gear Oil for Drive Axles

January 2024

## Characteristics

**SRS Wiolin Hypoid-Getriebeöl 90** is blended from selected base oils with carefully adapted additives. Its viscosity is chosen to ensure both no channelling at low temperatures and high lubrication safety at high temperatures.

## Application

**SRS Wiolin Hypoid-Getriebeöl 90** is intended for very high loaded hypoid meshed axles, bevel and spur gears, steering gears and not synchronized gear boxes in vehicles and machines.

## Specifications

- SAE Grade 85W-90
- API GL-5
- MIL-L-2105 C/D

## Approvals

- MB-Approval 235.0H
- DTFR 12B100
- ZF Approval Number ZF000444  
ZF TE-ML 16C, 17B, 19B, 21A
- Voith 132.00374400

## Recommendations

- Volvo 97310
- MAN 342 Type M1
- Ford SQM-2C-9002 AA
- DAF

SRS Wiolin Hypoid-Getriebeöl 90 is a product of the H&R ChemPharm GmbH.

Typical Data	Test Method	SRS Wiolin Hypoid Getriebeöl 90
SAE Grade	SAE J 306	85W-90
Density at 15°C	DIN 51 757	0.902
Dyn. Viscosity at -26°C	DIN 51 398	-
Dyn. Viscosity at -12°C	DIN 51 398	20,000
Kin. Viscosity at 40°C	DIN EN ISO 3104	198
Kin. Viscosity at 100°C	DIN EN ISO 3104	17.6
Viscosity Index (VI)	DIN ISO 2909	95
Flash Point COC °C	DIN ISO 2592	216
Pour Point	DIN ISO 3016	-24
FZG-Test A/8.3/90	DIN ISO 14635	>12

The above values may vary within the commercial limits.

**Made in Germany**